gc vitrola | product specification

Lounge Chairs and Sofas Models: GC8271LB, GC8271HB, GC8271BLB, GC8271BHB, GC8272LB, GC8272HB, GC8273LB, GC8273HB

Benches and Bariatric Benches Model: GC8275, GC8275B

Seating Dimensions (Models: GC8271LB, GC8271HB, GC8271BLB, GC8271BHB, GC8272LB, GC8272HB, GC8273HB)

Overall Depth	GC827#LB, GC8271BLB GC827#HB, GC8271BHB	32.25 in / 819 mm 33.75 in / 857 mm
Overall Width	GC8271_B GC8271B_B GC8272_B GC8273_B	28.25 in / 718 mm 39 in / 991 mm 50.5 in / 1283 mm 71.5 in / 1816 mm
Overall Height	GC827#LB, GC8271BLB GC827#HB, GC8271BHB	34.25 in / 870 mm 42 in / 1067 mm
Seat Depth		19.25 in / 489 mm
Seat Width	GC8271_B GC8271B_B GC8272_B GC8273_B	21.5 in / 546 mm 39 in / 991 mm 43.5 in / 1105 mm 65 in / 1651 mm
Seat Height		18.5 in / 470 mm
Back Height	GC827#LB, GC8271BLB GC827#HB, GC8271BHB	15.75 in / 400 mm 23.5 in / 597 mm
Product Weight		59.5-127.5 lbs. / 27-58 kg
Shipping Cube	20	0.25-68.75 ft ³ / 0.57-1.95 m ³

Bench Dimensions (Model: GC8275, GC8275B)

Overall Depth		24 in / 610 mm
Overall Width	GC8275	24 in / 610 mm
	GC8275B	34 in / 864 mm
Overall Height		18 in / 457 mm
Product Weight	GC8275	24.5 lbs. / 11.1 kg
	GC8275B	33.0 lbs. / 15.0 kg
Shipping Cube		8 ft ³ / 0.23 m ³

 ${\it Contact \ sales \ representative \ for \ more \ information.}$

Features

- Chairs and sofas with fully upholstered seat, back and arms
- 1, 2 and 3 seat models are available as well as benches with no back
- Clean out gap between seat and back
- 9 in (229 mm) raised legs allow for easy cleaning
- Shipped fully assembled

MODELS: GC8271BLB, GC8271BHB, GC8275B

Bariatric models accommodate larger and heavier individuals









GC8272LB

GC8271BHB

GC8275



GC8271HB

 GLOBALFURNITUREGROUP.COM

gc vitrola | product specification

Options

- Legs are available in hardwood (29 finishes) or urethane coated (six finishes)
- · Armcap options:
 - No armcaps
 - Urethane armcaps (six finishes)
 - · Solid surface armcaps (seven finishes)
- Glide options:
 - White nylon non-marking glides (standard)
 - Glides with felt pads are recommended for vinyl, cork or laminate flooring
 - Glides with non-slip rubber pads are recommended for vinyl, hardwood, laminate, stone or ceramic flooring
 - Steel cushioned glides are recommended for carpeted flooring
- Tamperproof fastener option
- Sealed seam option on seat and/or back and arms
- Moisture barrier option on seat (not available when sealed seams are specified on seat)

ALL MODELS EXCEPT: GC8275B, GC8275B

· Sealed seat, back and arms option

COM Yardage

Yardage is based on unmatched materials with widths of 54 inches for seating

MODEL: GC8271LB

- Back: 4.50 yards
- Seat: 1.25 yards
- Total: 5.75 yards

MODELS: GC8271HB,

GC8271BLB

- Back: 5.00 yards
- Seat: 1.25 yards
- Total: 6.25 yards

MODEL: GC8271BHB

- Back: 5.75 yards
- Seat: 1.25 yards

• Total: 7.00 yards MODEL: GC8272LB

Back: 5.00 yards

• Seat: 1.50 yards

Total: 6.50 yards

MODEL: GC8272HB

- Back: 6.00 yards
- Seat: 1.50 yards
- Total: 7.50 yards
- MODEL: GC8273LB
- Back: 6.25 yards
- Seat: 2.00 yardsTotal: 8.25 yards
- MODEL: GC8273HB

• Back: 7.25 yards

- Seat: 2.00 yards
- Total: 9.25 yards

MODEL: GC8275

• Total: 1.50 yards MODEL: GC8275B

• Total: 2.00 yards

Infection Control

- No velcro on seat
- Non-porous underside of seat
- · Seam sealing option on seat and back cushions
- · Moisture barrier option for seat only
- Replaceable seat cushions
- For proper cleaning and disinfecting practices, the
 textile selection needs to be identified. It is vital that
 following any chemical application a clear water wipe
 down occur to avoid chemical build up that will lead
 to deterioration of the textile. Contact Global should
 information on using a specific disinfectant be required

Construction (Seat and Back Frame)

- Seat is supported by metal frame
- Fully enclosed springs provide back support
- Synthetic woven webbing seat suspension system

Construction (Legs)

- Maple hardwood legs or urethane coated legs
- 9 in (229 mm) high
- · White, non-marking, nylon glides, as standard

Upholstery (Seat and Back)

- Can be upholstered in fabric, coated textiles or leather
- Seat bottom is sealed with a non-porous vinyl liner, as standard

Foam (Seat)

- Seat cushion is 4.5 in (25 mm) thick Ultracell foam with a fully enclosed wood insert
- Density: 2.5 lbs., ILD: 35

Foam (Back)

ALL MODELS EXCEPT: GC8275B, GC8275B

- Back cushion is 2.25 in (57 mm) thick polyurethane foam
- Density: 1.9 lbs., ILD: 34

Weight Capacity

MODELS: GC827#LB, GC827#HB, GC8275, GC8275B

• Designed for an active weight capacity of 350 lbs. per seat

MODELS: GC8271BLB, GC8271BHB

 Bariatric chairs are designed for an active weight capacity of 600 lbs.



Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)
- Covered under Global Healthcare 12 year, 24/7
 warranty when upholstered with a 100,000 double rub
 (or greater) textile. For healthcare textiles, visit the
 website at global furnituregroup.com

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards

Environmental

View Environmental Data Sheets online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurniture group.com for additional product information including industry and environmental certifications.

