

# river+ seating | product specification

## Lounge Seating - Linear Sofas

**Models:** R27801 (B, L or R), R27802 (B, L or R), R27803 (B, L or R), R27804(B, L or R), R27805 (B, L or R), R27806 (B, L or R), R27807(B, L or R), R27808 (B, L or R), R27809 (B, L or R)

### One Seat Chair Dimensions (Models: R27801, R27801B, R27801L, R27801R, R27802, R27802B, R27802L, R27802R, R27803, R27803B, R27803L, R27803R)

Overall Depth	R27801_ R27802_ R27803_	30 in / 762 mm 30.5 in / 775 mm 31 mm / 787 mm
Overall Width	R2780# R2780#L, R2780#R R2780#B	26 in / 660 mm 29.5 in / 749 mm 33 in / 838 mm
Overall Height	R27801_ R27802_ R27803_	32 in / 813 mm 41.5 in / 1054 mm 47 in / 1194 mm
Seat Depth		19 in / 483 mm
Seat Width		26 in / 660 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	R27801_ R27802_ R27803_	14 in / 356 mm 23.5 in / 597 mm 29 in / 737 mm
Arm Height - From Seat	R2780# R2780#L, R2780#R, R2780#B	no arms 6.75 in / 171 mm
Product Weight	R27801_ R27802_ R27803_	47-67 lb / 21.4-30.5 kg 52-72 lb / 23.6-32.7 kg 64-84 lb / 29.1-38.2 kg
Shipping Cube	R2780# R2780#L, R2780#R, R2780#B	19.75-28 ft³ / 0.56-0.79 m³ 24.5-35 ft³ / 0.69-0.99 m³

### Two Seat Linear Sofa Dimensions (Models: R27804, R27804B, R27804L, R27804R, R27805, R27805B, R27805L, R27805R, R27806, R27806B, R27806L, R27806R)

Overall Depth	R27804_ R27805_ R27806_	30 in / 762 mm 30.5 in / 775 mm 31 mm / 787 mm
Overall Width	R2780# R2780#L, R2780#R R2780#B	52 in / 1321 mm 55.5 in / 1410 mm 59 in / 1499 mm
Overall Height	R27804_ R27805_ R27806_	32 in / 813 mm 41.5 in / 1054 mm 47 in / 1194 mm
Seat Depth		19 in / 483 mm
Seat Width		52 in / 1321 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	R27804_ R27805_ R27806_	14 in / 356 mm 23.5 in / 597 mm 29 in / 737 mm
Arm Height - From Seat	R2780# R2780#L, R2780#R, R2780#B	no arms 6.75 in / 171 mm
Product Weight	R27804_ R27805_ R27806_	91-111 lb / 41.4-50.5 kg 94-114 lb / 42.7-51.8 kg 106-126 lb / 48.2-57.3 kg
Shipping Cube	R2780# R2780#L, R2780#R, R2780#B	37.5-53.75 ft³ / 1.06-1.52 m³ 42.5-60.5 ft³ / 1.20-1.71 m³



R27801



R27802R



R27805B



R27807L



# river+ seating | product specification

## Three Seat Linear Sofa Dimensions (Models: R27807, R27807B, R27807L, R27807R, R27808, R27808B, R27808L, R27808R, R27809, R27809B, R27809L, R27809R)

Overall Depth	R27807_	30 in / 762 mm
	R27808_	30.5 in / 775 mm
	R27809_	31 mm / 787 mm
Overall Width	R2780#	78 in / 1981 mm
	R2780#L, R2780#R	81.5 in / 2070 mm
	R2780#B	85 in / 2159 mm
Overall Height	R27807_	32 in / 813 mm
	R27808_	41.5 in / 1054 mm
	R27809_	47 in / 1194 mm
Seat Depth		19 in / 483 mm
Seat Width		78 in / 1981 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	R27807_	14 in / 356 mm
	R27808_	23.5 in / 597 mm
	R27809_	29 in / 737 mm
Arm Height - From Seat	R2780#	no arms
	R2780#L, R2780#R,	
	R2780#B	6.75 in / 171 mm
Product Weight	R27807_	120-140 lb / 54.5-63.6 kg
	R27808_	138-158 lb / 62.7-71.8 kg
	R27809_	135-155 lb / 61.4-70.5 kg
Shipping Cube	R2780#	55.5-79.25 ft³ / 1.57-2.24 m³
	R2780#L, R2780#R,	
	R2780#B	60.5-86.25 ft³ / 1.71-2.24 m³

Contact sales representative for more information.

## Features

- Lounge seating system that is easily reconfigured into many arrangements using integrated ganging clamps
- Front face under seat is angled inward to allow wider range of leg positions and reduce wear from footwear rubbing on front of seat
- Coordinates with other chairs, benches, ottomans, and tables in the same product line
- 6.5 in (165 mm) high metal legs allow easier cleaning under furniture
- Adjustable leveling glides
- Ganging clamps can swivel out of view when not in use
- Clean out gap between seat and back, 0.625 in (16 mm) wide
- Shipped fully assembled

MODELS: R2780#B

- Upholstered arms on both ends of seating

## Features (continued)

MODELS: R2780#L

- Upholstered arm on left end (viewed from sitting position)

MODELS: R2780#R

- Upholstered arm on right end (viewed from sitting position)

## Options

- Floor mounting legs are available (fastening hardware not included)
- Models are available with laminate back shelf ("S", "SB", "SL", "SR" models)
  - Back shelf is not available for single seat or bariatric lounge chairs
  - Shelf is available in several laminate finishes.
  - Shelf mounting brackets includes accessory hook
  - Accessory hooks are available in Black, Fog or Latte finish
- Extended legs are standard on back shelf models, maintaining standard leg height. If regular vertical legs are required, floor mounting legs or models with added weight are available
- Legs are standard in Chrome finish. Also available in 13 painted finishes
- Taller, 8 in (203 mm) high legs are available on models without back shelf
- Power/USB modules can be installed in sides or fronts of seating units, in specified locations. On units with back shelf, a power/USB module can also be installed in center back, below the shelf
- Electrical faceplates are available in Jet Black or White
- Aluminum arms can be installed along the length of seating

MODELS R2770, R2771

- Aluminum arms are ordered separately. Install between seat and back of seating

MODEL: R2771

- Armcaps are available in Black, Fog or Latte color
- Seat-to-back spacer is available in Black, Fog or Latte color
- Weight can be added to most models
- Moisture barrier can be added to seat
- Underside of frame is sealed with fabric, as standard. Underside can alternately be sealed with vinyl with staple strips or steel plate
- Tamperproof fasteners can be substituted for the standard fasteners



# river+ seating | product specification

## Construction (Seat)

- Interlocking puzzle box construction
- Underside is covered with fabric lining
- Metal-to-metal connections between all components
- Standard seat frames are plywood, 0.75 in (19 mm) thick, 6-ply

## Construction (Back)

- Plywood back frame, 0.75 in (19 mm) thick, 6-ply
- Interlocking puzzle box construction

## Construction (Optional Shelf)

MODELS: R2####S\_

- Thermally fused laminate shelf, 1 in (25 mm) thick
- Shelf surface is 10 in (254 mm) deep
- Adds 10.5 in (267 mm) to overall depth
- Aluminum mounting brackets
- Includes one plastic accessory hook per mounting bracket

## Construction (Optional Arms)

- 2.5 in (64 mm) wide aluminium arms
- Available with or without nylon armcap
- Arm height from seat: 8.25 in (210 mm) without armcap, or 8.5 in (216 mm) with armcap

## Construction (Legs)

- Welded steel legs, 6.5 in (165 mm) high, 14 gauge
- Legs taper towards floor, equipped with Black nylon non-marking glides
- Leveling glides are adjustable by over 1 in (25 mm) (Not available on floor mounting legs)
- Top mounting plate is 0.1875 in (5 mm) thick

MODELS: R2####S\_

- Shelf back models are standard with 6.5 in (165 mm) high extended back legs for added stability
- Optionally, shelf back models can be specified with a counterweight or with floor mounting legs

## Upholstery

- Chair can be upholstered in fabric or vinyl. Leather is recommended for seat upholstery only
- Heavy duty perimeter seam
- Cushions are fixed to prevent removal (for public spaces)

## Foam (Seat)

- Seat cushion is made of high density foam
- 3 in (76 mm) thick foam cushion
- Density: 3.13 lb, ILD: 68

## Foam (Back)

- Back foam: 2 in (51 mm) thick
  - Density: 3.13 lb, ILD: 68
- ALL MODELS EXCEPT R27801(S\_):
- Headrest foam: 1.75 in (45 mm) thick
  - Density: 3.13 lb, ILD: 68

## Weight Capacity

- Seating is designed with an active weight capacity of 600 lb per seat

MODELS: R2####S\_

- Back shelves have a weight capacity of 50 lb per seat
- Accessory hooks have a weight capacity of 20 lb each

## Warranty

12 year warranty on all components except the following:

- 5 year warranty on foam and textiles
- Warranty applies for 24 hour/day, 7 days/week use)
- For heavy duty application, warranty only applies with textiles rated for 100,000 double rubs or greater

## Fire Rating

All foam and textiles are tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

## Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

## Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

**Please visit [globalfurnituregroup.com](http://globalfurnituregroup.com) for additional product information including industry and environmental certifications.**

