

river+ seating | product specification

Lounge Seating - Inside and Outside Curved

Models: R27815 (B, L or R), R27816 (B, L or R), R27817 (B, L or R), R27818 (B, L or R), R27819 (B, L or R), R27820 (B, L or R)

Lounge Seating - Corner Sofas

Models: R27821, R27822, R27823, R27824, R27825, R27826

Curved Two Seat Sofa Dimensions (Models: R27815_, R27816_, R27817_, R27818_, R27819_, R27820_)

Overall Depth	R27815_, R27818_	30 in / 762 mm
	R27816_, R27819_	30.5 in / 775 mm
	R27817_, R27820_	31 mm / 787 mm
Overall Width	R27815	50.5 in / 1283 mm
	R27816	51 in / 1295 mm
	R27817	51.5 in / 1308 mm
	R27818, R27819, R27820	50 in / 1270 mm
	R37815L, R37815R, R37816L, R37816R, R37817L, R37817R	54 in / 1372 mm
	R27818L, R27818R, R27819L, R27819R, R27820L, R27820R	53.5 in / 1359 mm
Overall Height	R27815_, R27818_	32 in / 813 mm
	R27816_, R27819_	41.5 in / 1054 mm
	R27817_, R27820_	47 in / 1194 mm
Seat Depth		19 in / 483 mm
Seat Width	R27815_, R27816_, R27817_	42 in / 1067 mm
	R27818_, R27819_, R27820_	50 in / 1270 mm
		50 in / 1270 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	R27815_, R27818_	14 in / 356 mm
	R27816_, R27819_	23.5 in / 597 mm
	R27817_, R27820_	29 in / 737 mm
Arm Height - From Seat	R278##	no arms
	R278##L, R278##R, R278##B	6.75 in / 171 mm
		6.75 in / 171 mm
Product Weight	R27815_, R27818_	67-77 lb / 30.5-35.5 kg
	R27816_	78-88 lb / 35.5-40.0 kg
	R27817_	84-94 lb / 38.2-42.7 kg
	R27819_	73-83 lb / 33.2-37.7 kg
	R27820_	75-85 lb / 34.1-38.6 kg
Shipping Cube	R27815_, R27818_	42.75-43.5 ft ³ / 1.21-1.23 m ³
	R27816_, R27819_	53.75-55.5 ft ³ / 1.52-1.57 m ³
	R27817_, R27820_	61-62.25 ft ³ / 1.73-1.76 m ³

90° Corner Sofa Dimensions (Models: R27821, R27822, R27823)

Overall Depth and Width	R27821	37.5 in / 953 mm
	R27822	38.5 in / 978 mm
	R27823	39 in / 991 mm
Overall Height	R27821	32 in / 813 mm
	R27822	41.5 in / 1054 mm
	R27823	47 in / 1194 mm
Seat Depth		19 in / 483 mm
Seat Width		24 in / 610 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	R27821	14 in / 356 mm
	R27822	23.5 in / 597 mm
	R27823	29 in / 737 mm
Product Weight	R27821	79 lb / 35.9 kg
	R27822	95 lb / 43.2 kg
	R27823	100 lb / 45.5 kg
Shipping Cube	R27821	35.5 ft ³ / 1.00 m ³
	R27822	44.5 ft ³ / 1.26 m ³
	R27823	50.5 ft ³ / 1.43 m ³



R27815



R27816R



R27819SL



R27823S



river+ seating | product specification

120° Corner Sofa Dimensions (Models: R27824, R27825, R27826)

Overall Depth	R27824	30 in / 762 mm
	R27825	30.5 in / 775 mm
	R27826	31.5 in / 787 mm
Overall Width	R27824	52.5 in / 1334 mm
	R27825	53.5 in / 1359 mm
	R27826	54 in / 1372 mm
Overall Height	R27824	32 in / 813 mm
	R27825	41.5 in / 1054 mm
	R27826	47 in / 1194 mm
Seat Depth		21 in / 533 mm
Seat Width		41 in / 1041 mm
Seat Height		18 in / 457 mm
Back Height - From Seat	R27824	14 in / 356 mm
	R27825	23.5 in / 597 mm
	R27826	29 in / 737 mm
Product Weight	R27824	80 lb / 36.4 kg
	R27825	89 lb / 40.5 kg
	R27826	91 lb / 41.4 kg
Shipping Cube	R27824	48.25 ft ³ / 1.37 m ³
	R27825	60.5 ft ³ / 1.71 m ³
	R27826	68.75 ft ³ / 1.95 m ³

Contact sales representative for more information.

Features

- Lounge seating system that is easily reconfigured into many arrangements using integrated ganging clamps
 - Front face under seat is angled inward to allow wider range of leg positions and reduce wear from footwear rubbing on front of seat
 - Coordinates with other chairs, benches, ottomans, and tables in the same product line
 - 6.5 in (165 mm) high metal legs allow easier cleaning under furniture
 - Adjustable leveling glides
 - Ganging clamps can swivel out of view when not in use
 - Clean out gap between seat and back, 0.625 in (16 mm) wide
 - Shipped fully assembled
- MODELS: R27815B, R27816B, R27817B, R27818B, R27819B, R27820B
- Upholstered arms on both ends of seating
- MODELS: R27815L, R27816L, R27817L, R27818L, R27819L, R27820L
- Upholstered arm on left end (viewed from sitting position)
- MODELS: R27815R, R27816R, R27817R, R27818R, R27819R, R27820R
- Upholstered arm on right end (viewed from sitting position)

Options

- Floor mounting legs are available (fastening hardware not included)
- Models are available with laminate back shelf ("S" models)
 - Back shelf is not available for single seat or bariatric lounge chairs
 - Shelf is available in several laminate finishes.
 - Shelf mounting brackets includes accessory hook
 - Accessory hooks are available in Black, Fog or Latte finish
 - Extended legs are standard on back shelf models, maintaining standard leg height. If regular vertical legs are required, floor mounting legs or models with added weight are available
- Legs are standard in Chrome finish. Also available in 13 painted finishes
- Taller, 8 in (203 mm) high legs are available on models without back shelf
- Power/USB modules can be installed in sides or fronts of seating units, in specified locations. On units with back shelf, a power/USB module can also be installed in center back, below the shelf
- Electrical faceplates are available in Jet Black or White
- Aluminum arms can be installed along the length of seating

MODELS: R2770, R2771

- Aluminum arms are ordered separately. Install between seat and back of seating

MODEL: R2771

- Armcaps are available in Black, Fog or Latte color
- Seat-to-back spacer is available in Black, Fog or Latte color
- Weight can be added to most models
- Moisture barrier can be added to seat
- Underside of frame is sealed with fabric, as standard. Underside can alternately be sealed with vinyl with staple strips or steel plate
- Tamperproof fasteners can be substituted for the standard fasteners

Construction (Seat)

- Interlocking puzzle box construction
- Underside is covered with fabric lining
- Metal-to-metal connections between all components
- Standard seat frames are plywood, 0.75 in (19 mm) thick, 6-ply



river+ seating | product specification

Construction (Back)

- Plywood back frame, 0.75 in (19 mm) thick, 6-ply
- Interlocking puzzle box construction

Construction (Optional Shelf)

MODELS: R278##S

- Thermally fused laminate shelf, 1 in (25 mm) thick
- Adds 10.5 in (267 mm) to overall depth
- Aluminum mounting brackets
- Includes one plastic accessory hook per mounting bracket

Construction (Optional Arms)

- 2.5 in (64 mm) wide aluminium arms
- Available with or without nylon armcap
- Arm height from seat: 8.25 in (210 mm) without armcap, or 8.5 in (216 mm) with armcap

Construction (Legs)

- Welded steel legs, 6.5 in (165 mm) high
- Legs taper towards floor, equipped with Black nylon non-marking glides
- Leveling glides are adjustable by over 1 in (25 mm) (Not available on floor mounting legs)
- Top mounting plate is 0.1875 in (5 mm) thick

MODELS: R278##S

- Shelf back models are standard with 6.5 in (165 mm) high extended back legs for added stability
- Optionally, shelf back models can be specified with a counterweight or with floor mounting legs

Upholstery

- Chair can be upholstered in fabric or vinyl. Leather is recommended for seat upholstery only
- Heavy duty perimeter seam
- Cushions are fixed to prevent removal (for public spaces)

Foam (Seat)

- Seat cushion is made of high density foam
- 3 in (76 mm) thick foam cushion
- Density: 3.13 lb, ILD: 68

Foam (Back)

- Back foam: 2 in (51 mm) thick
- Density: 3.13 lb, ILD: 68

ALL MODELS EXCEPT R27815_(S), R27818_(S), R27821_(S), R27824_(S):

- Headrest foam: 1.75 in (45 mm) thick
- Density: 3.13 lb, ILD: 68

Weight Capacity

- Seating is designed with an active weight capacity of 600 lb per seat
- Back shelves have a weight capacity of 50 lb per seat
- Accessory hooks have a weight capacity of 20 lb each

Warranty

12 year warranty on all components except the following:

- 5 year warranty on foam and textiles
- Warranty applies for 24 hour/day, 7 days/week use
- For heavy duty application, warranty only applies with textiles rated for 100,000 double rubs or greater

Fire Rating

All foam and textiles are tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.

