

collaborative spaces | product specification

Core Collaboration Tables

Models: SCTWD####

Standard Collaboration Tables

Models: SCTWSL####, SCTCSL####, SCTBSL####

Workshop Tables

Models: SCTSW_####, SCTSC_####, SCTSBS_####

Large Collaboration Tables

Models: SCTLW_####, SCTLC_####, SCTLB_####

Dimensions

Core Collaboration (Models: SCTWD####) and Standard Collaboration Tables, Small Radius (Models: SCTWSL####, SCTCSL####, SCTBSL####)

| | | |
|----------------|------------|--|
| Overall Depth | SCT__18## | 18 in / 457 mm |
| | SCT__24## | 24 in / 610 mm |
| | SCT__30## | 30 in / 762 mm |
| Overall Width | SCT_##36 | 36 in / 914 mm |
| | | in 6 inch increments, up to |
| | SCT_##72 | 72 in / 1829 mm |
| | SCT_SL##78 | 78 in / 1981 mm |
| | SCT_SL##84 | 84 in / 2134 mm |
| | SCT_SL##90 | 90 in / 2286 mm |
| | SCT_SL##96 | 96 in / 2438 mm |
| Overall Height | SCTW_#### | 29 in / 737 mm |
| | SCTCSL#### | 36 in / 914 mm |
| | SCTBSL#### | 42 in / 1067 mm |
| Product Weight | | 35.54-86.20 lbs. / |
| | SCTW_#### | 16.12-39.10 kg |
| | SCTCSL#### | 50.14-184.97 lbs. / |
| | SCTBSL#### | 22.74-83.90 kg |
| | | 52.58-187.41 lbs. / |
| | | 23.85-85.01 kg |
| Shipping Cube | SCTWD#### | 2.33-5.76 ft ³ / 0.07-0.16 m ³ |
| | SCT_SL#### | 2.33-7.01 ft ³ / 0.07-0.20 m ³ |



SCTSBSC4848



SCTLBSL3690

Workshop Tables, Small Radius (Models: SCTSWS_####, SCTSCS_####, SCTSBS_####)

| | | |
|----------------|-------------|--|
| Overall Depth | SCTS_S_36## | 36 in / 914 mm |
| | SCTS_S_42## | 42 in / 1067 mm |
| | SCTS_S_48## | 48 in / 1219 mm |
| Overall Width | SCTS_S_##36 | 36 in / 914 mm |
| | | in 6 inch increments, up to |
| | SCTS_S_##60 | 60 in / 1524 mm |
| Overall Height | SCTSW_#### | 29 in / 737 mm |
| | SCTSC_#### | 36 in / 914 mm |
| | SCTSBS_#### | 42 in / 1067 mm |
| Product Weight | | 79.31-177.64 lbs. / 35.97-80.58 kg |
| Shipping Cube | SCTSW_#### | 4.67-8.22 ft ³ / 0.13-0.23 m ³ |
| | SCTSC_####, | |
| | SCTSBS_#### | 5.67-9.89 ft ³ / 0.16-0.28 m ³ |

Large Collaboration Tables, Small Radius (Models: SCTLWS_####, SCTLCS_####, SCTLBS_####) and Large Collaboration Tables, Large Radius (Models: SCTLWL_####, SCTLCL_####, SCTLBL_####)

| | | |
|----------------|-------------|---|
| Overall Depth | SCTL_36## | 36 in / 914 mm |
| | SCTL_42## | 42 in / 1067 mm |
| | SCTL_48## | 48 in / 1219 mm |
| Overall Width | SCTL_##66 | 66 in / 1676 mm |
| | | in 6 inch increments, up to |
| | SCTL_##96 | 96 in / 2438 mm |
| Overall Height | SCTLW_#### | 29 in / 737 mm |
| | SCTLC_#### | 36 in / 914 mm |
| | SCTLB_#### | 42 in / 1067 mm |
| Product Weight | | 123.52-261.08 lbs. / 56.03-118.42 kg |
| Shipping Cube | SCTLW_#### | 6.54-11.22 ft ³ / 0.19-0.32 m ³ |
| | SCTLC_####, | |
| | SCTLB_#### | 8.38-13.89 ft ³ / 0.24-0.39 m ³ |

Contact sales representative for more information.



collaborative spaces | product specification

Features

- Laminate freestanding tables
- Rounded corners:
 - Small radius - 1.5 in (38 mm) or
 - Large radius - 9 in (229 mm)
- 100% Made in Canada

MODELS: SCT__L####

- Tables with four levelers. Each leveler has 1 in (25 mm) adjustment range

MODELS: SCT__C####

- Tables with four casters. Casters have a 3 in (76 mm) diameter, and are available in Black or Grey finish

MODELS: SCTSWSX####

- Tables with two leveling glides and two casters

Options

- All tops are available in thermally fused laminate or high pressure laminate
- Legs are available in ten painted finishes
- Grommet holes may be added at time of order. See “Grommet Cutout Options” for more information
- Power connections can be provided with units above, in or below the table surface. See “Power Modules, Bars and Trays” for more information
- Casters are available in Black or Grey finish

Construction (Top and Frame)

- 1 in (25 mm) thermally fused laminate or 1.0625 in (27 mm) thick high pressure laminate surfaces
- 0.12 in (3 mm) thick PVC edgebanding
- Fully enclosed 45 lb. particleboard core
- Beam supports are included for tables of widths 48 in or greater
- Cafe and bar height tables of widths 78 in or greater include support stanchions

Construction (Base)

- Aluminum leg frame
- Tables with 18-24 in depth have one footrest along the table width. Tables with 30 in depth have two footrests

MODELS: SCT_C_####

- Footrest(s) on cafe height tables are 8.4 in (213 mm) above the floor

MODELS: SCT_B_####

- Footrest(s) on bar height tables are 14.4 in (366 mm) above the floor

Grommet Cutout Options

- Grommet holes are 9.17 in by 8.35 in (233 x 212 mm) with semi-circle ends (4.17 in [106 mm] radius)
- Must be specified at time of order
- All tables of widths 36 in or greater can be specified with a center grommet hole
- Tables of widths 90 in or 96 in can be specified with left and/or right grommet holes. The center of each grommet hole is located 32 in (813 mm) from the left or right end of the table. Left or right grommet holes are sized for organizer trays (models: SCTAOT_), or in-surface power modules (models: SCTAPS_)

Power Modules, Bars and Trays

- All power solutions have a 10 ft (3 m) cord
- MODELS: SCTAPE_, SCTAPS_, SCTAPB_
- Power modules which clamp to the edge of worksurfaces (models: SCTAPE_) and power modules that are installed on the underside of a worksurface (models: SCTAPB_) have the following configuration options:

- A - 1 AC outlet, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B - 2 AC outlets
- C - 2 AC outlets, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D - 1 AC outlet, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E - 3 AC outlets

- In-surface power modules are available in configurations C, D and E (see above)

- All power modules have a Black finish

MODELS: SCTAPT_, SCTAOT_, SCTAPR_

- Trays are available for recessed in-surface power connections (models: SCTAPR_), above surface organization and accessory trays (models: SCTAOT_) or both (models: SCTAPT_)
- Models with recessed power tray extend 3.7 in (94 mm) below the surface
- Above surface models include two removable accessory trays, quarter-circle shaped
- All trays are available in configurations C, D, or E (same as those options for power modules; see above)
- Trays have a Black finish. Removable accessory trays (where included) have a Grey finish



collaborative spaces | product specification

Power Modules, Bars and Trays (continued)

MODELS: SCTAPPB_

- Power bars are installed on the underside of worksurfaces. They have a Black finish
- Power bars have eight AC outlets each, in two configuration options:
 - S - 8 outlets on one side. Width: 10.6 in (269 mm)
 - D - 4 outlets each on front and back sides. Width: 21 in (533 mm)

Other Table Accessory Options

- Media unit, with or without TV mount rail. Affixes to small radius table sides that are 36, 42 or 48 in wide. Max capacity 50 lbs. User side is laminate. Opposite side is tackable PET felt in any standard felt color
- PET felt Wire Manager. Hangs from four brackets, extending 4 in (102 mm) under work surface. PET felt is available in any standard felt color
- Table leg cable organizer snaps on to any table leg. Manage wires running between floor and underside of table
- Table mounted bag hook. Steel, available in standard painted metal finishes. 10 lbs. weight capacity
- Modesty panels are available for any width of table (36-96 in). PET felt constructions with metal mounting brackets. Each modesty panel is 3 in (76 mm) shorter than the nominal table width
- Wire mesh storage tray. A wire mesh shelf can be added between the two stretchers at the base of 48 in deep tables of widths 48-96 in (1219-2438 mm). Cannot be combined with media units on tables with casters

Warranty

Limited lifetime warranty.

Environmental

View [Environmental Data Sheets](#) online.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including industry and environmental certifications.

