

vion seating | product specification

Mesh Back Guest Seating

Models: 6324, 6325

Upholstered Back Guest Seating

Models: 6334, 6335

Dimensions

Without Arms (Models: 6324, 6334)

| | | |
|-------------------------|---|----------------|
| Overall Depth | 24 in / 610 mm | |
| Overall Width | 20 in / 508 mm | |
| Overall Height | 34.5 in / 876 mm | |
| Seat Depth | 18 in / 457 mm | |
| Seat Width | 19 in / 483 mm | |
| Seat Height | 18.75 in / 476 mm | |
| Back Height - From Seat | 16.5 in / 419 mm | |
| Product Weight | 6324 | 17 lb / 7.7 kg |
| | 6334 | 18 lb / 8.2 kg |
| Shipping Cube | 11.75 ft ³ / 0.33 m ³ | |

With Arms (Models: 6325, 6335)

| | | |
|-------------------------|---|----------------|
| Overall Length | 24 in / 610mm | |
| Overall Width | 25.5 in / 648mm | |
| Overall Height | 34.5 in / 876mm | |
| Seat Depth | 18 in / 457mm | |
| Seat Width | 19 in / 483mm | |
| Seat Height | 18.75 in / 476mm | |
| Back Height - From Seat | 16.5 in / 419mm | |
| Armrest Clearance | 20 in / 508mm | |
| Arm Height - From Seat | 7.5 in / 191mm | |
| Product Weight | 6325 | 19 lb / 8.6 kg |
| | 6335 | 20 lb / 9.1 kg |
| Shipping Cube | 13.75 ft ³ / 0.39 m ³ | |

Contact sales representative for more information.

Features

- Elasticized, breathable mesh back
- Wall saver leg design prevents chair back from damaging walls

Options

- Back frame is standard in Black. Also available in Fog or Shadow
- 10 standard Vion mesh colors. 10 Dimension mesh colors are available at an upcharge
- Upholstered back models offer a matching outer (MO) upholstery option. Due to the additional material needed, these models are listed separately and are priced differently than the standard upholstered back models
- Seat foam can be upgraded to memory foam
- Chair legs are painted Black, Charcoal, Shadow or Tungsten as standard. Also available in Chrome finish
- Standard glides are Black. Also available with non-marking, rubber pad, felt pad, or cushioned steel glides

MODELS: 6324C, 6325C, 6334C, 6335C

- Four carpet casters are standard. Hard surface casters are also available

Construction (Frame)

- Metal tubing, 0.875 in (22 mm) diameter
- Polypropylene shroud on underside of seat frame prevents imprints or damage to upholstered chairs when stacked



6325-CHM (with chrome frame)



6334



6335C (casters)



vion seating | product specification

Construction (Arms)

MODELS: 6325, 6335

- Durable nylon arms
- Waterfall front edge

Construction (Seat)

- Plywood seat pan, 0.5 in (13 mm) thick, 9-ply

Construction (Back)

- Polypropylene back frame
- Back frame is standard in Black. Also available in Fog or Shadow
- Steel connections to chair frame

Construction (Glides)

- Standard black polypropylene glides
- Optional glides:
 - Opaque, White, non-marking glides
 - Felt pads on polycarbonate glides (for sensitive flooring)
 - Non-slip rubber pads on polycarbonate glides (for hard surface applications)
 - Cushioned steel, self-leveling, glides

Upholstery (Seat)

- Seat is upholstered in fabric, vinyl or leather
- Front edge of seat is a seamless waterfall

Upholstery (Back)

MODELS: 6324, 6325

- Elastomeric mesh back, 72% polyethylene, 28% polyester

MODELS: 6334, 6335

- Can be upholstered in fabric, vinyl or leather
- Rear side of back is upholstered in Black textile, or optionally, a textile matching seat and/or back

Foam

- Molded foam seat, 2.5 in (64 mm) thick

MODELS: 6334, 6335

- Back foam is 0.25 in (6 mm) thick, Density: 1.5 lb, ILD: 40

Weight Capacity

Designed for an active weight capacity of 300 lb.

Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including environmental certifications.



vion seating | product specification

Pedestal Base Chairs

Models: 6321-4PB, 6322-4PB, 6331-4PB, 6332-4PB, 6364-6PB, 6374-6PB

Armchair Dimensions

(Models: 6321-4PB, 6322-4PB, 6331-4PB, 6332-4PB)

| | | |
|------------------------|--|-------------------------|
| Overall Depth | 24 in / 610 mm | |
| Overall Width | 25.5 in / 648 mm | |
| Overall Height | 6321-4PB, 6331-4PB | 40-42 in / 1016-1067 mm |
| | 6322-4PB, 6332-4PB | 38-40 in / 965-1016 mm |
| Seat Depth | 17.5-19 in / 445-483 mm | |
| Seat Width | 20 in / 508 mm | |
| Seat Height | 17-19 in / 432-483 mm | |
| Back Height | 6321-4PB, 6331-4PB | 23 in / 584 mm |
| | 6322-4PB, 6332-4PB | 21 in / 533 mm |
| Armrest Clearance | 17-21 in / 432-533 mm | |
| Arm Height - From Seat | 8-11 in / 203-279 mm | |
| Product Weight | 41-44 lb / 18.6-20.0 kg | |
| Shipping Cube | 10.5 ft ³ / 0.30 m ³ | |

Low Back, Armless Chair Dimensions

(Models: 6364-6PB, 6374-6PB)

| | | |
|----------------|---|--|
| Overall Depth | 24.5 in / 622 mm | |
| Overall Width | 19.5 in / 495 mm | |
| Overall Height | 24.5-36.5 in / 622-927 mm | |
| Seat Depth | 18 in / 457 mm | |
| Seat Width | 19 in / 483 mm | |
| Seat Height | 17.5-19.5 in / 445-495 mm | |
| Back Height | 17 in / 432 mm | |
| Product Weight | 26-27 lb / 11.8-12.3kg | |
| Shipping Cube | 11.75 ft ³ / 0.33 m ³ | |

Contact sales representative for more information.

Features

- Flexible back provides non-rigid lumbar support
- Pedestal base secures chair to the floor while allowing chairs to swivel
- Mechanism provides 2 in (51 mm) pneumatic seat
- Soft decent pneumatic cylinder with automatic return to maximum height and return to center

MODELS: 6321-4PB, 6322-4PB, 6364-6PB

- Breathable mesh back promotes airflow

MODELS: 6331-4PB, 6332-4PB, 6374-6PB

- Upholstered back

MODELS: 6321-4PB, 6322-4PB, 6331-4PB, 6332-4PB

- Sliding seat depth adjustment
- Standard arms (AS) feature lockable Black urethane armcaps which rotate, slide forward, back, and inwards. Arms are also height and width adjustable

MODELS: 63##-4PB

- Tilter mechanism with upright position tilt-lock control

MODELS: 63##-6PB

- Armless low back chairs
- Height adjustment and swivel only

MODELS: 96#1-4PB

- High back chairs

MODELS: 96#2-4PB

- Medium back chairs



6321-4PB



6331-4PB



6364-6PB



6374-6PB (right tablet)



vion seating | product specification

Options

- Back frame, arms and bases are standard in Black. These parts can also be specified in Fog or Shadow.
- Cylinders that do not automatically return to center or do not swivel, are available. These optional cylinders automatically return to maximum height
- Height adjustable, live lumbar support that rides in and out, supporting the user. 3 in (76 mm) height adjustment range
- Several arm options available
- Seat foam may be replaced with memory foam

MODELS: 6321-4PB, 6322-4PB, 6364-6PB

- 10 standard Vion mesh colors. 10 Dimension mesh colors are available at an upcharge

MODELS: 6331-4PB, 6332-4PB, 6374-6PB

- Upholstered back models offer a matching outer (MO) upholstery option. Due to the additional material needed, these models are listed separately and are priced differently than the standard upholstered back models

MODELS: 6364-6PB, 6374-6PB

- Tablet arm is available on left or right side of chair. Tablet flips up to allow users to more easily enter or exit the chair

Construction (Arms)

MODELS: 6321-4PB, 6322-4PB, 6331-4PB, 6332-4PB

- Locking, highly adjustable arm caps slide forward and backward with a 2 in (51 mm) range
- Armcaps slide inward, over seat, up to 0.75 in (19 mm) on each side
- Armcap rotates inward and outward up to 30 degrees
- Black urethane armcaps
- Width adjustable arm extensions allow for arm spacing adjustments of up to 2 in (51 mm) on each side

Construction (Seat)

- Plywood seat pan, 0.5 in (13 mm) thick, 7-ply

Construction (Back)

- Polypropylene back frame
- Steel back uprights

Construction (Base)

- Metal base plate with black metal cover and black cylinder cover
- See installation guide (available on our installation guide web page)
- Base plate mounts to floor. Mounting hardware not included

Construction (Mechanism)

- Constructed of cast aluminum and stamped steel
- Connected to gas-assisted pneumatic cylinder

Upholstery (Seat)

- Seat can be upholstered in fabric, vinyl or leather
- Front edge of seat is a seamless waterfall

Upholstery (Back)

MODELS: 6321-4PB, 6322-4PB, 6364-6PB

- Elastomeric mesh back

MODELS: 6331-4PB, 6332-4PB, 6374-6PB

- Can be upholstered in fabric, vinyl or leather

Foam

- Molded seat foam, 3.4 in (86 mm) thick
- Optional memory foam seat is molded and 2.5 in (64 mm) thick

MODELS: 6331-4PB, 6332-4PB, 6374-6PB

- 0.25 in (6 mm) thick foam layer in back
- Density: 1.5 lb, ILD: 40

Weight Capacity

- Designed with active weight capacity of 300 lb.

Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- 12 year warranty on control mechanisms
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including environmental certifications.



vion seating | product specification

Mesh Back Stool Seating

Models: 6350, 6351, 6352, 6353

Upholstered Back Stool Seating

Models: 6360, 6361, 6362, 6363

Dimensions

With Arms (Models: 6350, 6352, 6360, 6362)

| | | |
|-------------------------|--------------------------|--|
| Overall Length | 6350, 6360 6352, 6362 | 25 in / 635 mm 24.5 in / 622 mm |
| Overall Width | | 25.5 in / 648 mm |
| Overall Height | 6350, 6360 6352, 6362 | 44.5 in / 1130 mm 40.5 in / 1029 mm |
| Seat Depth | | 17.5 in / 445 mm |
| Seat Width | | 19 in / 483 mm |
| Seat Height | 6350, 6360 6352, 6362 | 28.5 in / 724 mm 24.5 in / 622 mm |
| Back Height - From Seat | | 16 in / 406 mm |
| Armrest Clearance | | 20 in / 508 mm |
| Arm Height - From Seat | | 8 in / 203 mm |
| Product Weight | 6350, 6360 6352, 6362 | 26 lb / 11.8 kg 25 lb / 11.4 kg |
| Shipping Cube | 6350, 6360 6352, 6362 | 20 ft ³ / 0.57 m ³ 18.5 ft ³ / 0.52 m ³ |

Without Arms (Models: 6351, 6353, 6361, 6363)

| | | |
|-------------------------|--------------------------|---|
| Overall Depth | 6351, 6361 6353, 6363 | 25 in / 635 mm 24.5 in / 622 mm |
| Overall Width | | 21 in / 533 mm |
| Overall Height | 6351, 6361 6353, 6363 | 44.5 in / 1130 mm 40.5 in / 1029 mm |
| Seat Depth | | 17.5 in / 445 mm |
| Seat Width | | 19 in / 483 mm |
| Seat Height | 6351, 6361 6353, 6363 | 28.5 in / 724 mm 24.5 in / 622 mm |
| Back Height - From Seat | | 16 in / 406 mm |
| Product Weight | 6351, 6361 6353, 6363 | 24 lb / 10.9 kg 23 lb / 10.5 kg |
| Shipping Cube | 6351, 6361 6353, 6363 | 15.75 ft ³ / 0.45 m ³ 14.5 ft ³ / 0.41 m ³ |

Contact sales representative for more information.



6350



6351



6362



vion seating | product specification

Features

- Counter height and bar height stools
- Elasticized, breathable mesh back

MODELS: 6360, 6361, 6362, 6363

- Upholstery over back mesh

Options

- Back frame is available in Black, Fog or Shadow color, as standard
- 10 standard Vion mesh colors. 10 Dimension mesh colors are available at an upcharge
- Seat foam can be upgraded to memory foam
- Chair legs are standard Black. Also available in Tungsten, Charcoal, Fog or Chrome finish
- Standard glides are Black. Also available with non-marking, rubber pad, felt pad, or cushioned steel glides

MODELS: 6360, 6361, 6362, 6363

- Upholstered back models offer a matching outer (MO) upholstery option. Due to the additional material needed, these models are listed separately and are priced differently than the standard upholstered back models

Construction (Frame)

- Metal tubing, 0.875 in (22 mm) diameter, 16 gauge
- Polypropylene shroud on underside of seat frame
- Crossbeam footrest

Construction (Arms)

MODELS: 6350, 6352, 6360, 6362

- Fiberglass reinforced nylon arms on steel frame
- 2.125 in (54 mm) wide, full length of chair

Construction (Seat)

- Plywood seat, 0.5 in (13 mm) thick, 7-ply

Construction (Back)

- Polypropylene back frame, available in Black or Fog color
- Steel connections to chair frame

Construction (Glides)

- Standard black polypropylene glides
- Optional glides:
 - Opaque, White, non-marking glides
 - Felt pads on polycarbonate glides (for sensitive flooring)
 - Non-slip rubber pads on polycarbonate glides (for hard surface applications)
 - Cushioned steel, self-leveling, glides

Upholstery (Seat)

- Seat is upholstered in fabric, vinyl or leather
- Front edge of seat is a seamless waterfall

Upholstery (Back)

MODELS: 6350, 6351, 6352, 6353

- Elastomeric mesh back 72% polyethylene, 28% polyester
- MODELS: 6360, 6361, 6362, 6363
- Can be upholstered in fabric, vinyl or leather
 - Rear side of back is upholstered in black fabric, or optionally, a fabric matching seat and/or back

Foam

- Molded seat foam, 2.5 in (64 mm) thick
- MODELS: 6360, 6361, 6362, 6363
- Back foam is 0.375 in (10 mm) thick
 - Density: 1.5 lb, ILD: 40

Weight Capacity

Designed for an active weight capacity of 300 lb.

Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- 12 year warranty on control mechanisms
- Warranty applies for 24 hours/day, 7 days/week use

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including environmental certifications.



vion seating | product specification

Mesh Back Work Chairs and Stools

Models: 6321-0, 6321-3, 6321-4, 6321-6, 6321-8, 6322-0, 6322-3, 6322-4, 6322-6, 6322-8, 6323-6, 6327-6, 6328-6

Dimensions

| | | |
|---------------------------|---|--|
| Overall Depth | | 24 in / 610 mm |
| Overall Width | 6323-6, 6327-6, 6333-6, 6337-6 all others | 20 in / 508 mm 25.5 in / 648 mm |
| Seat Depth | 63##-0, -3, -8 63##-4, -6 | 17-20 in / 432-508 mm 17.5-19 in / 445-483 mm |
| Seat Width | | 20 in / 508 mm |
| Armrest | 63#3-6, 63#7-6 | no arms |
| Clearance | all others | 17-21 in / 432-533 mm |
| Arm Height - From Seat | 63#3-6, 63#7-6 all others | no arms 8-11 in / 203-279 mm |

Upholstered Back Work Chairs and Stools

Models: 6331-0, 6331-3, 6331-4, 6331-6, 6331-8, 6332-0, 6332-3, 6332-4, 6332-6, 6332-8, 6333-6, 6337-6, 6338-6

High Back Chairs (Models: 63#1-#)

| | | |
|-------------------------|--------|--|
| Overall Height | 63#1-0 | 40.5-45.5 in / 1029-1156 mm |
| | 63#1-3 | 40.25-45.25 in / 1022-1149 mm |
| | 63#1-4 | 39-44 in / 990-1118 mm |
| | 63#1-6 | 40-45 in / 1016-1143 mm |
| | 63#1-8 | 39.5-44.5 in / 1003-1130 mm |
| Seat Height | 63#1-0 | 17.5-22.5 in / 445-572 mm |
| | 63#1-3 | 17.25-22.25 in / 438-565 mm |
| | 63#1-4 | 16-21 in / 406-533 mm |
| | 63#1-6 | 17-22 in / 432-559 mm |
| | 63#1-8 | 16.5-21.5 in / 419-21.5 mm |
| Back Height - From Seat | | 23 in / 584 mm |
| Product Weight | | 37-50 lb / 16.8-22.7 kg |
| Shipping Cube | | 10.5 ft ³ / 0.30 m ³ |



6321-0



6322-3



6322-8



6327-6



6331-0



6332-4



6333-6



6338-6



vion seating | product specification

Medium Back Chairs (Models: 63#2-#, 6323-6, 6333-6)

| | | |
|-------------------------|----------------|--|
| Overall Height | 63#2-0 | 38.5-43.5 in / 978-1105 mm |
| | 63#2-3 | 38.25-43.25 in / 971-1099 mm |
| | 63#2-4 | 37-42 in / 939-1067 mm |
| | 63##-6 | 38-43 in / 965-1092 mm |
| | 63#2-8 | 37.5-42.5 in / 752-1080 mm |
| Seat Height | 63#2-0 | 17.5-22.5 in / 445-572 mm |
| | 63#2-3 | 17.25-22.25 in / 438-565 mm |
| | 63#2-4 | 16-21 in / 406-533 mm |
| | 63#2-6, 63#3-6 | 17-22 in / 432-559 mm |
| | 63#2-8 | 16.5-21.5 in / 419-21.5 mm |
| Back Height - From Seat | | 21 in / 533 mm |
| Product Weight | | 35-48 lb / 15.9-21.8 kg |
| Shipping Cube | | 10.5 ft ³ / 0.30 m ³ |

Task Stools (Models: 6327-6, 6328-6, 6337-6, 6338-6)

| | | |
|-------------------------|--------|--|
| Overall Height | | 44.5-54.5 in / 1130-1384 mm |
| Seat Height | | 23.5-33.5 in / 597-851 mm |
| Back Height - From Seat | | 21 in / 533 mm |
| Product Weight | 6327-6 | 32 lb / 14.5 kg |
| | 6328-6 | 38 lb / 17.3 kg |
| | 6337-6 | 33 lb / 15.0 kg |
| | 6338-6 | 39 lb / 17.7 kg |
| Shipping Cube | | 10.5 ft ³ / 0.30 m ³ |

Contact sales representative for more information.

Features

- Flexible back provides non-rigid lumbar support
- Breathable mesh back promotes airflow
- Sliding seat depth adjustment
- Standard arms (AS) feature lockable Black urethane armcaps which rotate, slide forward, back, and inwards. Arms are also height and width adjustable

MODELS: ####-0

- Synchro-tilter mechanism allows the back to recline at a 2:1 ratio faster than seat
- Infinitely adjustable back angle

MODELS: ####-8

- Synchro-tilter mechanism allows the back to recline at a 2:1 ratio faster than seat
- Weight sensing mechanism automatically adjusts tilt tension according to user's weight

MODELS: ####-3

- Multi-tilter mechanism
- Infinitely adjustable back angle
- Infinitely adjustable seat angle (forward and rearward incline)

Features (continued)

MODELS: ####-4

- Tilter mechanism with upright position tilt-lock control

MODELS: ####-6

- Height adjustment and swivel only

MODELS: 6327-6, 6328-6, 6337-6, 6338-6

- Task stools with 20 in (508 mm) footrest

Options

- Back frame, arm frames and base are standard in Black. These parts can also be specified in Fog or Shadow.
- Base also available in polished aluminium
- Petite seat models are available on request. Seats are 2 in (51 mm) less deep and wide than normal seat
- Height adjustable, live lumbar support that rides in and out, supporting the user. 3 in (76 mm) height adjustment range
- Several arm options available
- Seat foam may be replaced with memory foam
- Carpet casters are standard. Hard surface casters are available

MODELS: 632#-#

- 10 standard Vion mesh colors. 10 Dimension mesh colors are available at an upcharge

MODELS: 633#-#

- Upholstered back models offer a matching outer (MO) upholstery option. Due to the additional material needed, these models are listed separately and are priced differently than the standard upholstered back models

MODELS: 6321-3, 6322-3, 6328-6, 6331-3, 6332-3, 6338-6

- Heavy duty, 24 hour models are available (TS prefix)

Construction (Arms)

- Locking, highly adjustable armcaps slide forward and backward with a 2 in (51 mm) range
- Armcaps slide inward, over seat, up to 0.75 in (19 mm) on each side
- Armcap rotates inward and outward up to 30 degrees
- Black urethane armcaps
- Width adjustable arm extensions allow for arm spacing adjustments of up to 2 in (51 mm) on each side

Construction (Seat)

- Plywood seat pan, 0.5 in (13 mm) thick, 7-ply

Construction (Back)

- Polypropylene back frame
- Steel back uprights



vion seating | product specification

Construction (Base)

- Injection molded nylon base; fiberglass reinforced
 - 26 in (660 mm) diameter
- MODELS: 6327-6, 6328-6, 6337-6, 6338-6
- Chrome footing: 20 in (508 mm) diameter, 1.97 in (50 mm) thickness (diameter of profile)

Construction (Casters)

- 2 in (50 mm) casters made of reinforced nylon, intended for carpeted surfaces
- Optional soft casters for hard floors are made of polyurethane coated nylon
- Dual wheel

Construction (Mechanism)

- Constructed of cast aluminum and stamped steel
- Connected to gas-assisted pneumatic cylinder

Upholstery (Seat)

- Seat can be upholstered in fabric, vinyl or leather
- Front edge of seat is a seamless waterfall

Upholstery (Back)

MODELS: 632#-#

- Elastomeric mesh back, 72% polyethylene, 28% polyester

MODELS: 633#-#

- Can be upholstered in fabric, vinyl or leather
- Rear side of back is upholstered in Black textile, or optionally, a textile matching seat and/or back

Foam

- Molded seat foam, 3.4 in (86 mm) thick
- Optional memory foam seat is molded and 2.5 in (64 mm) thick

MODELS: 633#-#

- 0.25 in (6 mm) thick foam layer in back
- Density: 1.5 lb, ILD: 40

Weight Capacity

- Designed with active weight capacity of 300 lb
- MODELS: TS6321-3, TS6322-3, TS6328-6, TS6331-3, TS6332-3, TS6338-6
- Heavy duty models have an active weight capacity of 350 lb

Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- 12 year warranty on control mechanisms
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

MODELS: TS6321-3, TS6322-3, TS6328-6, TS6331-3, TS6332-3, TS6338-6

- Heavy duty models are warrantied for 24 hours/7 days per week use (three shift)

Fire Rating

All textiles and foam is tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

Please visit globalfurnituregroup.com for additional product information including environmental certifications.

